FICHA TÉCNICA

Sacabocados Knockout Punch De 1/2” A 2" Perforador Hidráulico De Láminas De Metal

CÓDIGO:
BAM299

***Nombre:** Sacabocados knockout punch de 1/2” a 2" perforador hidráulico de láminas de metal	**Cantidad x Empaque:** 1
Código de producto: BAM299	**Color:** Azul
Peso (Kg): 5.66kg	**Presentación:** Maletín
Procedencia: Importado	**Se vende por:** Unidad
Tipo: Perforadores Mecànicos	**Usos:** Construcción

INFORMACIÓN ADICIONAL

Sacabocados Knockout Punch De 1/2” A 2" Perforador Hidráulico De Láminas De Metal

-Posee Una Potente Capacidad De Perforación. La Cabeza Se Puede Seleccionar Libremente, Compatible Con Greenlee Y Otras Herramientas Domésticas De Perforación De Roscas De 3/4"-16.
-Trae 6 Juegos De Troqueles: ½, ¾, 1, 1¼, 1 ½ Y 2 Pulgadas
-Tiene La Capacidad De Perforar Acero De 1/8 Pulgadas (10Ga), Y De Acero Inoxidable De 1/16 Pulgadas.
-Perfora Laminas De: Acero, Acero Inoxidable, Latón, Cobre, Aluminio (Solo Aleaciones Suaves), Fibra De Vidrio, Plástico.
-Es Rápido Y Fácil De Operar.

Standard round knockout punches (Type D)

SPECIFICATIONS

Capacity: Mild steel up through 3.5mm (10gauge)
Application: Punch mild steel, aluminium, fiberglass and plastic.
Operation: Battery, hydraulic, ratchet or manual drivers. When used with ratchet,hydraulic or battery drivers, buy the punch and die only; the draw stud is part of the driver kit.

CONDUIT&PIPE SIZE	HOLE SIZE (ACTUAL)		CAPACITY	
	Φ（INCH）	Φmm	mm	GA
1/2"	7/8	22.5	3.5	10
3/4"	-	28.3	3.5	10
1"	-	34.6	3.5	10
1-1/4"	1-11/16	43.2	3.5	10
1-1/2"	1-15/16	49.6	3.5	10
2"	2-3/8	61.5	3.5	10



Round knockout punches

1/2"-2" Knockout Punch Kit Includes

Item No: TPA-8	
Punching range:	1/2"~2"in the 10ga minld steel
Punching force:	69KN
Stroke:	22mm
Length:	approx. 310mm
Weight:	approx. 2.2kg
Package:	plastic box
Weight of box:	approx. 1.20kg

ACCESSORIES:

Round Knockout Punches Type D : 22.5, 28.3, 34.6, 43.2, 49.6, 61.5mm
7/16"×3/4" Draw Stud:1pc
3/4"×3/4" Draw Stud:1pc
Spacer: 1pc
Sealing kit: 1set
Plastic box: 1pc

- Lightweight design for portable and fast work, make one-person operation easier.
- Develops 66KN of hydraulic force for easy punching, even in 3.5mm mild steel, depending on individual punch capacities.
- Allow unlimited driver orientation to simplify access to work area.