

# SAFETY DATA SHEET

Regulation (EC) No 1907/2006 (REACH), Annex II (COMMISSION REGULATION (EU) No 2015/830)

Issue date 03-Jan-2020 Revision date 03-Jan-2020

### SECTION 1: Identification of the substance /mixture and of the company/undertaking

1.1. Product identifier

Product name Radiator And Fuel Tank Repair Kit

1.2. Details of the supplier of the safety data sheet

Supplier HUZHOU GUONENG NEW MATERIAL CO.,LTD

Address NO.1-4#,1518MENGXI ROAD,HUZHOU,ZHEJIANG,CHINA

Postal code 313000

 Phone
 0086-572-2109399

 Fax
 0086-572-2352225

 E-mail
 Sales@visbella.com

1.3. Emergency telephone number

0086-572-2352225

### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

STOT Single Exp. 3 -(H335)

#### 2.2. Label elements

Symbols/Pictograms



Signal word Warning

Hazard statements H335 - May Causes respiratory irritation

**Precautionary statements** P262 - DO not get in eyes, on skin, or on clothing

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302 + P352 - IF ON SKIN: Wash with plenty of



soap and water

P332 + P313 - If skin irritation occurs: Get medical

advice/attention

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.1. Mixture

Chemical name	EC No	CAS No	Weight-%	Classificationaccording		
				to Regulation (EC) No. 1272/2008 [CLP]		
Epoxy resin	-	61788-97-4	15-20	Not classified		
2-methyl-5-pentanediamine	-	15520-10-2	25-35	STOT Single Exp. 3 H335		
Calcuim carbonate	207-439-9	1317-65-3	20-40	Not classified		
Silicone dioxide	-	14808-60-7	10-20	Not classified		

### **SECTION 4: First aid measures**

The following first aid recommendations are based on an assumption that appropriate

personal and industrial hygiene practices are followed.

**Eye Contact:** Flush eyes with large amounts of water. If

signs/symptoms persist, get medical attention.

**Skin Contact:** Remove contaminated clothing and shoes. Immediately

flush skin with large amounts of water. Get medical attention. Wash contaminated clothing and clean shoes

before reuse.

**Inhalation:** Remove person to fresh air. If signs/symptoms develop,

get medical attention.

**If Swallowed:** Do not induce vomiting. Give victim two glasses of water.

Never give anything by mouth to an unconscious person.

Get immediate medical attention.

### **SECTION 5: Firefighting measures**

### Flammable properties

Autoignition temperature No Data Available
Flash Point Not Applicable
Flammable Limits - LEL Not Applicable
Flammable Limits - UEL Not Applicable

**Extinguishing media** 



Material will not burn

#### **Protection of fire fighters**

Special Fire Fighting Procedures: Water may be used to blanket the fire. Wear full

protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and

protective covering for exposed areas of the head.

Unusual Fire and Explosion Hazards: Not applicable.

### SECTION 6: Accidental release measures

**Spill Procedures:** Contain spill with dikes if necessary.

Containment: N/A

Clear Up: Wipe of scrape up spill material. Place

in an appropriate waste container for d

isposal.

Special procedures: None

### SECTION 7: Handling and storage

Handling:

Avoid eye contact with vapors, mists, or spray. Avoid breathing of dust created by cutting, sanding, grinding or machining. Avoid breathing of vapors, mists or spray. Avoid skin contact with hot material. Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. Contents may be under pressure, open carefully. Avoid contact

STorage:

Store away from acids.

Store away from oxidizing agents.

Keep container in well-ventilated area

### SECTION 8: Exposure controls/personal protection

#### 8.1. Exposure controls





#### **Engineering controls**

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

**Eyes and face protection:** safety glasses with side shields.

**Skin protection:** rubber gloves

**Respiratory protection:** with good ventilation, none required.

#### **Environmental exposure controls**

Avoid release to the environment.

# SECTION 9: Physical and chemical properties

Appearance: Liquid Color: Balck

**Odor:** very slight epoxy odor.

Special Gravity: 1.5

Melting point: Not determined

**Boiling point:** >=95 °F [Details: MITS data]

Flash point: Not determined Explosive limits: Not determined

Vapor Density: >1.0

**Vapor Pressure:** <=27 psia [@ 131.0000000000 °F]

Solubility in water: Not determined Viscosity 75000 - 150000

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

None under normal processing.

### 10.4. Conditions to avoid

Heat, flames and sparks.

#### 10.5. Incompatible materials

None known based on information supplied.

### 10.6. Hazardous decomposition products

None under normal use conditions.

# **SECTION 11: Toxicological information**



Eye Contact:

Subchronic effects:

No Data Available

No Data available

Carcinogenicity, tertogenicity and mutagenicity:

Other chronic effects:

None Known.

# **SECTION 12: Ecological information**

12.1. Toxicity

No information available.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Disposal should be in accordance with

applicable regional, national and local

laws and regulations.

Contaminated packaging Disposal should be in accordance with

applicable regional, national and local

laws and regulations.

### **SECTION 14: Transport information**

14.1. UN numberNot regulated14.2. UN proper shipping nameNot regulated14.3. Transport hazard class(es)Not regulated14.4. Packing groupNot regulated14.7. Special precautions for userNot regulated14.6. Transport in bulk according toNot regulatedAnnex II of MARPOL and the IBC Code

### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureEuropean Union



#### Product name:Radiator and fuel Tank repair kit

Component	EINECS/ELINCS	SVHC candidates	RESTRICTIONS - REACH TITLE VIII
Epoxy resin	×	-	-
2-methyl-5-pentanediamine	×	-	-
Calcium carbonate	×	-	-
Silicone dioxide	×	-	-

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### International inventories

Component	TSCA	DSL/NDSL	ENCS	IECSC	KECL	PICCS	AICS
Epoxy resin	×	×	×	×	×	×	×
2-methyl-5-pentanediamine	×	×	×	×	×	×	×
Silicone dioxide	×	×	×	×	×	×	×
Calcium carbonate	×	×	×	×	×	×	×

<sup>&</sup>quot;-" Not Listed

# **SECTION 16: Other information**

Material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Issue date03-Jan-2020Revision date03-Jan-2020Revision noteNot applicable

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, GUONENG NEW MATERIAL does not assume responsibility for any results obtained by persons over whose methods GUONENG NEW MATERIAL has no control. It is the user's responsibility to determine the suitability of GUONENG NEW MATERIAL's products or anyproduction methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of GUONENG NEW MATERIAL's products. In light of the foregoing, GUONENG NEW MATERIAL specifically disclaims all warranties, express orimplied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of GUONENG NEW MATERIAL 's products. GUONENG NEW MATERIAL further disclaims any liability for consequential or incidental damages of anykind, including lost profits.

<sup>&</sup>quot;X" Listed