

# SAFETY DATA SHEET The Pink Stuff Window & Glass with Rose Vinegar Spray

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name The Pink Stuff Window & Glass with Rose Vinegar Spray

Product number BLE584

**UFI**: 05M1-F0MC-Q00R-4UU2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Window glass cleaner.

**Uses advised against** Use only for intended applications.

### 1.3. Details of the supplier of the safety data sheet

Supplier Star Brands Limited

1175 Thorpe Park, Century Way, Leeds, LS15 8ZB England UK

+44 (0) 113 2666 300 +44 (0) 113 2666 690 sds@starbrandsltd.co.uk

Contact person sds@starbrandsltd.co.uk

### 1.4. Emergency telephone number

**Emergency telephone** +44 (0) 113 2666 300 (09.00-17.00 Mon-Fri)

National emergency telephone UK: 0844 892 0111 (healthcare professionals only, 24/7)/ NHS 111 (public, 24/7)

number

Dublin: +353 1 8092566 (public, 8am - 10pm, 7/7) +353 01 809 2566 (Professionals, 24/7)

EU: 112

### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

**Precautionary statements** P102 Keep out of reach of children.

P103 Read label before use.

P501 Dispose of contents/ container in accordance with local regulations.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

PPG2 METHYL ETHER		1-5%
CAS number: 34590-94-8	EC number: 252-104-2	

Classification Not Classified

Propylene glycol n-propyl ether

CAS number: 1569-01-3

EC number: 216-372-4

Classification
Eye Irrit. 2 - H319

acetic acid ... %

<1%

CAS number: 64-19-7 EC number: 200-580-7

Classification

Flam. Liq. 3 - H226 Acute Tox. 4 - H312 Skin Corr. 1A - H314 STOT SE 3 - H335

Sodium Lauryl Sulphate (Sulfuric acid, mono-C12-14-alkyl esters, sodium salts)

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

**Inhalation** Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion

Keep affected person warm and at rest. Do not induce vomiting unless under the direction of medical personnel. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues. If in doubt, get medical attention promptly.

### The Pink Stuff Window & Glass with Rose Vinegar Spray

Skin contact Remove contamination with soap and water or recognised skin cleansing agent. Get medical

attention if symptoms are severe or persist.

**Eye contact** Remove any contact lenses and open eyelids wide apart. Rinse cautiously with water for

several minutes. Get medical attention immediately. Continue to rinse.

### 4.2. Most important symptoms and effects, both acute and delayed

General information The product is considered to be a low hazard under normal conditions of use. See Section 11

for additional information on health hazards.

**Inhalation** The product is considered to be a low hazard under normal conditions of use.

Ingestion The product is considered to be a low hazard under normal conditions of use. May be harmful

if swallowed.

Skin contact Prolonged skin contact may cause temporary irritation. Skin irritation should not occur when

used as recommended.

**Eye contact** May cause discomfort.

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

inhalation or ingestion of this chemical. If in doubt GET MEDICAL ATTENTION PROMPTLY!

### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Extinguish with the following media: Foam, carbon dioxide or dry powder.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** The product is non-combustible. The product is not flammable.

Hazardous combustion

products

for firefighters

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapours.

### 5.3. Advice for firefighters

Special protective equipment

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of vapours. Avoid contact with eyes and prolonged skin contact. Use

recommended protective equipment, see section 8.

Ensure good ventilation.

For non-emergency personnel Remove persons for safety reasons

For emergency responders Wear breathing apparatus if exposed to vapours/spray/gases

### 6.2. Environmental precautions

**Environmental precautions** Not considered to be a significant hazard due to the small quantities used. Avoid discharge

into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

### The Pink Stuff Window & Glass with Rose Vinegar Spray

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste

disposal containers and seal securely. Dispose of contents/container in accordance with local

regulations.

### 6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Usage precautions Avoid contact with eyes and prolonged skin contact. Avoid inhalation of vapours and

spray/mists. Provide adequate ventilation.

Advice on general occupational hygiene

When using do not eat, drink or smoke. Wash contaminated skin thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions This product should be kept inaccessible to small children and well separated from products

intended to be consumed. Store cool and only in original packaging.

Storage class Unspecified storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

### Occupational exposure limits

#### **PPG2 METHYL ETHER**

Long Term Exposure Limit (8-hour TWA): 50ppm 300mg/m<sup>3</sup> Short-term exposure limit (15 minutes): 75ppm 450mg/m<sup>3</sup>

#### acetic acid ... %

Long-term exposure limit (8-hour TWA): 10 ppm 25 mg/m3. Short-term exposure limit (15-minute): 15 ppm 37 mg/m3 IOELV

### toluene

Long-term exposure limit (8-hour TWA): WEL 50 ppm 191 mg/m³ Short-term exposure limit (15-minute): WEL 100 ppm 384 mg/m³

Sk

WEL = Workplace Exposure Limit.

IOELV = Indicative occupational exposure limit value.

Sk = Can be absorbed through the skin.

### PPG2 METHYL ETHER (CAS: 34590-94-8)

**DNEL** Workers - Inhalation; Long term systemic effects: 303 mg/m³

Workers - Dermal; Long term systemic effects: 65 mg/kg/day Consumer - Inhalation; Long term systemic effects: 37.2 mg/m³ Consumer - Dermal; Long term systemic effects: 15 mg/kg/day

Consumer - Oral; Long term: 1.67 mg/kg/day

PNEC Fresh water; 19 mg/l

marine water; 1.9 mg/l Intermittent release; 190 mg/l

STP; 4168 mg/l

Sediment (Freshwater); 70.2 mg/kg/day Sediment (Marinewater); 70.2 mg/kg/day

Soil; 2.74 mg/kg/day

acetic acid ... % (CAS: 64-19-7)

**DNEL** Workers - Inhalation; Long term local effects: 25 mg/m³

Consumer - Inhalation; Long term local effects: 25 mg/m3

PNEC Fresh water; 3.058 mg/l

marine water; 0.3058 mg/l Intermittent release; 30.58 mg/l Sediment (Freshwater); 11.36 mg/kg Sediment (Marinewater); 1.136 mg/kg

Soil; 0.478 mg/kg STP; 85 mg/l

### Sodium Lauryl Sulphate (Sulfuric acid, mono-C12-14-alkyl esters, sodium salts) (CAS: 85586-07-8)

**DNEL** 85586-07-8: Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

worker: Long-term exposure- systemic effects, dermal: 4060 mg/kg bw/day worker: Long-term exposure- systemic effects, Inhalation: 285 mg/m3

consumer: Long-term exposure- systemic effects, dermal: 2440 mg/kg bw/day consumer: Long-term exposure- systemic effects, Inhalation: 85 mg/m3 consumer: Long-term exposure- systemic effects, oral: 24 mg/kg bw/day

PNEC 85586-07-8: Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

freshwater: 0.131 mg/l marine water: 0.0131 mg/l intermittent release: 0.036 mg/l

STP: 1.35 mg/l

sediment (freshwater): 4.61 mg/kg sediment (marine water): 0.461 mg/kg

soil: 0.846 mg/kg

oral (secondary poisoning):

No PNEC oral derived, as accumulation in organisms is not to be expected.

### 8.2. Exposure controls

#### Protective equipment





Appropriate engineering controls

Avoid inhalation of vapours and spray/mists. Provide adequate ventilation.

Eye/face protection

Wear eye protection.

Hand protection

Wear protective gloves made of the following material: Nitrile Gloves Nitrile rubber. Polyvinyl chloride (PVC). It should have a minimum thickness of 0.55mm Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

### The Pink Stuff Window & Glass with Rose Vinegar Spray

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

**Hygiene measures** Wash hands thoroughly after handling. Do not smoke in work area.

**Respiratory protection** No specific requirements are anticipated under normal conditions of use.

**Environmental exposure** 

controls

Ensure all engineering measures mentioned in section 7 of this SDS are in place

#### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Pale pink.

Odour Floral.

Odour threshold No specific test data are available.

pH (concentrated solution): 3.0 - 4.0

Melting point Not applicable.

Initial boiling point and range Not available.

**Flash point** This product does not sustain combustion.

Not known.

**Evaporation rate** No information available.

Evaporation factor Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or Not applicable.

explosive limits

Other flammability Not applicable.

Vapour pressure

Vapour density

Not known.

Relative density

1.0 - 1.01g/ml

Bulk density

Not determined.

Solubility(ies)

Soluble in water.

Partition coefficient Data lacking.

**Decomposition Temperature** Not determined.

Viscosity Not applicable.

Explosive properties Not applicable.

Explosive under the influence

Auto-ignition temperature

Not considered to be explosive.

of a flame

Oxidising properties Does not meet the criteria for classification as oxidising.

Comments Information given is applicable to the product as supplied.

### 9.2. Other information

### The Pink Stuff Window & Glass with Rose Vinegar Spray

**Refractive index** No information required.

Particle size No specific test data are available.

Molecular weight No information required.

Volatility
Not available.

Saturation concentration
Not applicable.

Critical temperature
Not applicable.

Volatile organic compound No information required.

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** No particular stability concerns.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

### 10.6. Hazardous decomposition products

Hazardous decomposition

products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicological effects We have not carried out any animal testing for this product. Any ATE figures quoted below are

from Toxicity Classifications that

have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or

ATE figures provided by the Raw

Material Manufacturer.

Acute toxicity - oral

Notes (oral LD₅) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) Based on available data the classification criteria are not met.

Skin corrosion/irritation

**Skin corrosion/irritation** Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

### The Pink Stuff Window & Glass with Rose Vinegar Spray

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

Germ cell mutagenicity

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on the available information, classification criteria are not met.

Toxicological information on ingredients.

### **PPG2 METHYL ETHER**

Acute toxicity - oral

Notes (oral LD₅o) LD₅o >5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> 9510 mg/kg, Dermal, Rabbit

acetic acid ... %

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 3,310.0

mg/kg)

Species Rat

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> 3310 mg/kg, Oral, Rat

**ATE oral (mg/kg)** 3,310.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 1,060.0

mg/kg)

Species Rabbit

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> 1060 mg/kg, Dermal, Rabbit

**ATE dermal (mg/kg)** 1,060.0

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) LD<sub>50</sub> 5620 mg/l, Inhalation, Mouse LD<sub>50</sub> > 160000 ppm, Inhalation, Rat

### The Pink Stuff Window & Glass with Rose Vinegar Spray

Sodium Lauryl Sulphate (Sulfuric acid, mono-C12-14-alkyl esters, sodium salts)

Acute toxicity - oral

Acute toxicity oral (LD50 2.001.0

mg/kg)

**Species** Rat ATE oral (mg/kg) 500.0

SECTION 12: Ecological information

12.1. Toxicity

**Toxicity** The product contains a substance which is harmful to aquatic organisms.

Ecological information on ingredients.

PPG2 METHYL ETHER

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 10000 mg/l, Pimephales promelas (Fat-head Minnow)

Chronic aquatic toxicity

Chronic toxicity - aquatic NOEC, 22 days: 0.5 mg/l, Daphnia magna

invertebrates

Sodium Lauryl Sulphate (Sulfuric acid, mono-C12-14-alkyl esters, sodium salts)

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, : 10-100 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, : 10-100 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC<sub>50</sub>, : 10-100 mg/l, Scenedesmus subspicatus

Acute toxicity -ECo, : >100 mg/l, Activated sludge

microorganisms

Chronic aquatic toxicity

Chronic toxicity - fish early ,: 1-10 mg/l, Pimephales promelas (Fat-head Minnow)

life stage

Chronic toxicity - aquatic ,: 1-10 mg/l, Daphnia magna

invertebrates

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient Data lacking.

12.4. Mobility in soil

Mobility The product is miscible with water and may spread in water systems.

12.5. Results of PBT and vPvB assessment

### The Pink Stuff Window & Glass with Rose Vinegar Spray

Results of PBT and vPvB

assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects Do not flush into surface water or sanitary sewer system.

Avoid subsoil penetration.

### SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. Dispose of waste

product or used containers in accordance with local regulations

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

Waste class

The waste code classification is to be carried out according to the European Waste Catalogue

(EWC).

### SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

Road transport notes Not regulated.

Rail transport notes Not regulated.

Sea transport notes Not classified.

Air transport notes Not classified.

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

Not regulated.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

### Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

Ensure that persons transporting the product know what to do in the event of an accident or spillage. Always transport in closed containers that are upright and secure.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not relevant.

Annex II of MARPOL 73/78

and the IBC Code

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March

2004 on detergents (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

## Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

CAS: Chemical Abstracts Service.

DNEL: Derived No Effect Level.

GHS: Globally Harmonized System.

LC₅: Lethal Concentration to 50 % of a test population.

LD₅o: Lethal Dose to 50% of a test population (Median Lethal Dose).

PNEC: Predicted No Effect Concentration.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006.

SVHC: Substances of Very High Concern.

vPvB: Very Persistent and Very Bioaccumulative. IARC: International Agency for Research on Cancer.

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978.

 ${\tt cATpE: Converted\ Acute\ Toxicity\ Point\ Estimate}.$ 

EC₅: 50% of maximal Effective Concentration.

LOAEC: Lowest Observed Adverse Effect Concentration.

LOAEL: Lowest Observed Adverse Effect Level. LOEC: Lowest Observed Effect Concentration.

DMEL: Derived Minimal Effect Level.

RID: European Agreement concerning the International Carriage of Dangerous Goods by

Rail.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods.

Classification abbreviations

and acronyms

Acute Tox. = Acute toxicity

Aquatic Acute = Hazardous to the aquatic environment (acute)

Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Asp. Tox. = Aspiration hazard Carc. = Carcinogenicity

STOT RE = Specific target organ toxicity-repeated exposure STOT SE = Specific target organ toxicity-single exposure

Eye Dam. = Serious eye damage Met. Corr. = Corrosive to metals Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation Skin Sens. = Skin sensitisation

Revision date 16/02/2021

Revision 2

Supersedes date 29/10/2014

SDS number 6174

Hazard statements in full H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.