

#### **Account Details**

Account No.31596\_USS1\_30\_10Account NameABB PANAMA SALES, S.A.AddressABB PANAMA SALES, S.A.,

BOULEVARD COSTA DEL ESTE FINANCIAL, PARK, TORRE 1, PISO 19 OFICINA A, PANAMA, Panama,

00000, Panama ABB IS United States

Sales Channel Other ABB
Currency USD
As on Date 29-07-2022

Sales Org.

Catalog No. THQL2140

### **Product Details**



UPC: 783164012934

**Details:** Q Line circuit breakers are one-inch wide per pole, compact, thermal-magnetic devices designed for residential and commercial applications in load centers or lighting panels. All Q Line circuit breakers feature Quick-make / Quick-break mechanisms, common trip bars, and easy to spot trip indication to ensure safety and reliability. Q Line breakers can be ordered with auxiliary contact and shunt trip accessories, and can be ordered for use in HID applications. The THQL2140 breaker features 2 poles, an ampere rating of 40 A, an interrupting rating of 10kAIC, and a voltage of 120/240V.

#### **Product Details**

**Details** 

Johano	
Catalog No.	THQL2140
Description	THQL 2POLE 120/240V 10K IC 40 AMPS
Std. Package Weight	0.700 LB
Product Family	R5E
Restock Fee	

UPC	783164012934
GSA Compliance	Yes
Discount Schedule	R5
CCC	
Currency	USD
Notes	
Package Qty.	1

Customer Reference No.		Country of Origin	Dominican Republic
Minimum Order Qty.	1		

# **Specifications**

General Characteristics		Dimensions and Clas
Category	Q Line	UL File #
Product Line	Q-Line (Plug-In)	
GO Schedule	R5	
Interrupting Capacity Rating	10 kAIC	
Voltage	120/240 V	
Trip Style	Non-Interchangeable	
Frame Type	Q-Line	
Amperage	40 A	
System Voltage	120 Vac 120/240 Vac	
Poles	2	
Trip Function	LI	
Continuous Current Rated	Standard	
120 Vac Interrupting Rating	10 KAIC	
120/240 Vac Interrupting Rating	10 KAIC	
Suitable for Reverse Feed	Yes	
Long Time	Fixed	
Instantaneous	Fixed	
Protective Relays	No	
Current Metering	No	
Special Markings	HACR	

### ssifications

E11592

**GSA Compliance** 

Yes

# **Publications**

Title	Type of Doc.	Date	Publication No.	Publication Type
Q-Line Plug-In MCCB, 100A Frame 1-, 2-, or 3-Pole, Drawing 1-Page fully dimensioned outline drawing in .pdf format	PDF (0.0 kb)	03/01/2009	455C872-SH1	Drawings-Outline and Dimensional
Q Line CAD Shell Files - 3D CAD shell file in .stp format	Unknown (14044.1 kb)	06/22/2021	AQ_THQL_2P_CA D_Shell	Drawings - CAD - 3D
Section 1 BuyLog: Load centers and circuit breakers				
Guide includes product features, photos, product number selection guide, knockout drawings, wiring diagrams, accessories and options list. Only available on-line.	PDF (3938.7 kb)	06/23/2022	DET1023	Application and Technical

go.abb/industrial.com