



Account Details

Account No. 31596_USS1_30_10
Account Name ABB PANAMA SALES, S.A.
Address ABB PANAMA SALES, S.A.,
BOULEVARD COSTA DEL ESTE
FINANCIAL, PARK, TORRE 1, PISO
19 OFICINA A, PANAMA, Panama,
00000, Panama
Sales Org. ABB IS United States
Sales Channel Other ABB
Currency USD
As on Date 29-07-2022

Catalog No. THQL32030

Product Details



UPC: 783164013023

Details: Q Line circuit breakers are one-inch wide per pole, compact, thermal-magnetic devices designed for residential and commercial applications in load centers or lighting panels. All Q Line circuit breakers feature Quick-make / Quick-break mechanisms, common trip bars, and easy to spot trip indication to ensure safety and reliability. Q Line breakers can be ordered with auxiliary contact and shunt trip accessories, and can be ordered for use in HID applications. The THQL32030 breaker features 3 poles, an ampere rating of 30 A, an interrupting rating of 10kAIC, and a voltage rating of 240V.

Product Details

Details

Catalog No.	THQL32030	UPC	783164013023
Description	ASM THQL C/B 3P 240V	GSA Compliance	No
Std. Package Weight	1.102 LB	Discount Schedule	R8
Product Family	R8H	CCC	
Restock Fee		Currency	USD
Customer Reference No.		Notes	No standard price available. Book price displayed

Minimum Order Qty.

1

Package Qty.

1

Country of Origin

Brazil

Specifications**General Characteristics**

Category	Q Line
Product Line	Q-Line (Plug-In)
GO Schedule	R8
Interrupting Capacity Rating	10 kAIC
Voltage	240 V
Trip Style	Non-Interchangeable
Frame Type	Q-Line
Amperage	30 A
System Voltage	120 Vac 120/240 Vac 240 Vac
Poles	3
Trip Function	LI
Continuous Current Rated	Standard
120 Vac Interrupting Rating	10 KAIC
120/240 Vac Interrupting Rating	10 KAIC
240 Vac Interrupting Rating	10 KAIC
Suitable for Reverse Feed	Yes
Long Time	Fixed
Instantaneous	Fixed
Protective Relays	No
Current Metering	No

Dimensions and Classifications**UL File #**

E11592

Special Markings

HACR

GSA Compliance

No

Publications

Title	Type of Doc.	Date	Publication No.	Publication Type
Q-Line Plug-In MCCB, 100A Frame 1-, 2-, or 3-Pole, Drawing 1-Page fully dimensioned outline drawing in .pdf format	PDF (0.0 kb)	03/01/2009	455C872-SH1	Drawings-Outline and Dimensional
Section 1 BuyLog: Load centers and circuit breakers Guide includes product features, photos, product number selection guide, knockout drawings, wiring diagrams, accessories and options list. Only available on-line.	PDF (3938.7 kb)	06/23/2022	DET1023	Application and Technical

by ABB

go.abb/industrial.com

Created On: 29/07/2022