

PRODUCT-DETAILS

TLM1212RCU

TLM1212RCU FLD CNVRTB 125A 12CRK 22K IC 3R



General Information	
Global Commercial Alias	TLM1212RCU
Extended Product Type	TLM1212RCU
Product ID	1TQP412206A0000
EAN	78316411293
Catalog Description	TLM1212RCU FLD CNVRTB 125A 12CRK 22K IC 3R
Long Description	Panelboards No. 67 60 degree/75 degree centrigrade Conductor Rating Suitable for use as service entrance equipment when Installed in accordance with the National Electrical Code 22kAlC RMS symmetrical, Except Where Noted 6-42 circuit devices UL Listed for bottom mounted lugs by installing complete unit (box, interior and front) upside down For a listing of CSA Listed load centers, visit www.geelectrical.com Amperage 125 A 2RCU2931

Technical	
Number of DIN Rails for Mounting	0
Number of Modular Spacings per DIN Rail	0
Cover Plate Type	With notch

Material Compliance

TLM1212RCU 2

RoHS Status	No declaration needed
REACH Declaration	No declaration needed
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions	
Product Net Width	318 mm
	12.5 in
Product Net Height	538 mm
	21.2 in
Product Net Depth /	118 mm
Length	4.6 in
Product Net Weight	19.800 lb

Ordering	
Package Level 1 Units	case 1 piece
Package Level 1 Gross Weight	20.5 lb

No declaration needed

Installation	
Instructions and	9AKK107991A1121
Manuals	

Popular Downloads	
Data Sheet, Technical	9AKK107680A9941
Information	

Classifications	
ETIM 8	EC000214 - Small distribution board
ETIM 9	EC000214 - Small distribution board
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121101
eClass	V11.0 : 27142409
IDEA Granular Category Code (IGCC)	4308 >> Single Phase Convertible Load Centers

TLM1212RCU 3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow Residential\ Enclosures \rightarrow Load\ Centers$

