

PRODUCT-DETAILS

TLM3220CCU

TLM3220CCU FLD CNVRTB 200A 32CRK 22K IC COMB



General Information	
Global Commercial Alias	TLM3220CCU
Extended Product Type	TLM3220CCU
Product ID	1TQP332208A0000
EAN	78316411276
Catalog Description	TLM3220CCU FLD CNVRTB 200A 32CRK 22K IC COMB
Long Description	Panelboards No. 67 60 degree/75 degree centrigrade Conductor Rating Suitable for use as service entrance equipment when Installed in accordance with the National Electrical Code 22kAlC RMS symmetrical, Except Where Noted 6-42 circuit devices UL Listed for bottom mounted lugs by installing complete unit (box, interior and front) upside down For a listing of CSA Listed load centers, visit www.geelectrical.com Amperage 200 A OCCU2764

Technical	
Number of DIN Rails for Mounting	0
Number of Modular Spacings per DIN Rail	0
Cover Plate Type	With notch

Material Compliance

TLM3220CCU 2

RoHS Status	No declaration needed
REACH Declaration	No declaration needed
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions	
Product Net Width	356 mm 14 in
Product Net Height	843 mm
Product Net Depth /	33.2 in 95 mm
Length	3.8 in
Product Net Weight	31 lb

Ordering	
Package Level 1 Units	case 1 piece
Package Level 1 Gross Weight	33.500 lb

Certificates and Declarations	
Declaration of	No declaration needed
Conformity - CE	

Installation	
Instructions and	9AKK107991A1122
Manuals	

Popular Downloads	
Data Sheet, Technical	9AKK107680A9941
Information	

Classifications	
ETIM 8	EC000214 - Small distribution board
ETIM 9	EC000214 - Small distribution board
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121101
eClass	V11.0 : 27142409
IDEA Granular Category Code (IGCC)	4308 >> Single Phase Convertible Load Centers

TLM3220CCU 3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow Residential\ Enclosures \rightarrow Load\ Centers$



