

PRODUCT-DETAILS

TL412C

TL412C MLO 125A 4CRT 1P3W 120/240V COMBO



General Information	
Global Commercial Alias	TL412C
Extended Product Type	TL412C
Product ID	1TQP104206A0000
EAN	78316420830
Catalog Description	TL412C MLO 125A 4CRT 1P3W 120/240V COMBO
Long Description	Panelboards No. 67 60 degree/75 degree centrigrade Conductor Rating Suitable for use as service entrance equipment when Installed in accordance with the National Electrical Code 22kAIC RMS symmetrical, Except Where Noted 6-42 circuit devices UL Listed for bottom mounted lugs by installing complete unit (box, interior and front) upside down For a listing of CSA Listed load centers, visit www.geelectrical.com Amperage 125 A 412C8306

Technical	
Number of DIN Rails for Mounting	0
Number of Modular Spacings per DIN Rail	0
Cover Plate Type	With notch

Material Compliance

TL412C 2

RoHS Status	No declaration needed
REACH Declaration	No declaration needed
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions	
Product Net Width	184 mm 7.3 in
Product Net Height	229 mm
Product Net Depth /	9 in 76 mm
Length Product Net Weight	3 in 5.445 lb

Ordering	
Package Level 1 Units	case 1 piece
Package Level 1 Gross Weight	5.5 lb

Certificates and Declarations	
Declaration of	No declaration needed
Conformity - CE	

Installation	
Instructions and	9AKK107991A1496
Manuals	

Popular Downloads	
Data Sheet, Technical	9AKK107680A9941
Information	

Classifications	
ETIM 8	EC000214 - Small distribution board
ETIM 9	EC000214 - Small distribution board
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121101
eClass	V11.0 : 27142409
IDEA Granular Category Code (IGCC)	4310 >> Single Phase Main Lug Load Centers

TL412C 3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow Residential\ Enclosures \rightarrow Load\ Centers$



