



Issue Date 06-Sep-2011

Revision Date 29-May-2013

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product IdentifierProduct NamePC-7, Part A

Other Means of IdentificationSDS #130519-23

Recommended Use of the Chemical and Restrictions on UseRecommended UseMulti-purpose epoxy paste.

Details of the Supplier of the Safety Data Sheet Supplier Address Protective Coatings Co. 221 S Third St. Allentown, PA 18102 USA

Emergency Telephone Number

Company Phone Number Emergency Telephone (24 hr) 610-432-3543 / 800-220-2103 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2

<u>Signal Word</u> Warning

<u>Hazard Statements</u> Causes skin irritation Causes serious eye irritation



Appearance Grey paste

Physical State Paste

Odor Mild

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Get medical attention if irritation occurs

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Bisphenol A - Epichlorohydrin polymer	25068-38-6	50-55
Talc	14807-96-6	10-15
Formaldehyde, polymer with 1,3 dimethylbenzene	6422-86-2	5-10

Product contains a proprietary mixture of ingredients.

4. FIRST AID MEASURES

First Aid Measures	
General Advice	Provide this SDS to medical personnel for treatment. After first aid, get appropriate in-plant, paramedic, or community medical support.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation occurs.
Skin Contact	Wash with soap and water. Remove and wash contaminated clothing before reuse. Get medical attention if irritation occurs.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Seek medical advice.
Most Important Symptoms and Effe	cts, both Acute and Delayed
Symptoms	Causes eye irritation. Direct contact may cause temporary redness and discomfort. Causes skin irritation.
Indication of any Immediate Medica	I Attention and Special Treatment Needed
Note to Physicians	Skin and eye conditions may be aggravated by long term exposure.
	5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, CO2 or water spray.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Aldehydes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Wear positive pressure self-contained breathing apparatus (SCBA). Do not release runoff from fire control methods to sewers or waterways. NFPA Class IIIB.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions	Wear protective gloves/protective clothing and eye/face protection. Avoid breathing vapors, mist or gas. Remove any contaminated clothing and wash thoroughly before reuse.	
Environmental Precautions	See Section 12 for additional ecological information.	
Methods and Material for Containment and Cleaning Up		
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for Cleaning Up Dispose of contents/container to an approved waste disposal plant.		
7. HANDLING AND STORAGE		

Precautions for Safe Handling

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Wear appropriate personal protective equipment. Do not eat, drink or smoke when using this product. Wash
	face, hands, and any exposed skin thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store contents under <90F (32C) . NFPA Class IIIB storage.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Talc	TWA: 2 mg/m ³ particulate matter	(vacated) TWA: 2 mg/m ³	IDLH: 1000 mg/m ³
14807-96-6	containing no asbestos and <1% crystalline silica, respirable	respirable dust <1% Crystalline silica, containing no Asbestos	TWA: 2 mg/m ³ containing no Asbestos and <1% Quartz
	fraction	TWA: 20 mppcf if 1% Quartz or	
		more, use Quartz limit	

Appropriate Engineering Controls

Engineering Controls Provide general or local exhaust ventilation if product is sanded or ground.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection	Chemical safety goggles/faceshield.
Skin and Body Protection	Wear protective gloves and protective clothing.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas. If engineering controls do not keep airborne concentrations below acceptable levels, wear a NIOSH-approved respirator.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Appearance Color	Paste Grey paste Grey	Odor Odor Threshold	Mild Not determined
Property	<u>Values</u> Not determined	Remarks • Method	
pH Melting Point/Freezing Point	Not determined Not available		
Boiling Point/Boiling Range	Not available No data		
Flash Point	248.88 °C / 480 °F	CC (closed cup)	
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	Not determined		
Upper Flammability Limits	Not available		
Lower Flammability Limit	Not available		
Vapor Pressure	Not determined		
Vapor Density	Not available		
Relative Density (Specific Gravity)	1.15	(1=Water)	
Water Solubility	Insoluble in water		
Solubility in Other Solvents	Alcohols		
Partition Coefficient	Not determined Not determined		
Autoignition Temperature Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		
Density	9.5 lbs/gal		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information	
Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation.
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Ingestion	May cause discomfort if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Bisphenol A - Epichlorohydrin polymer 25068-38-6	= 11400 mg/kg(Rat)	20000 mg/kg (rabbit)	-
Formaldehyde, polymer with 1,3 dimethylbenzene 6422-86-2	20000 mg/kg (rat)	-	-

Information on Physical, Chemical and Toxicological Effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Talc		Group 3		
14807-96-6				

IARC (International Agency for Research on Cancer) Group 3 IARC components are "not classifiable as human carcinogens"

Numerical Measures of Toxicity

Not determined

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name Algae/aquatic pl	ts Fish	Toxicity to microorganisms	Crustacea
--------------------------------	---------	-------------------------------	-----------

Talc	100: 96 h Brachydanio re	rio	
14807-96-6	g/L LC50 semi-static		

Persistence and Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

 Note
 Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

 DOT
 Not regulated

 IATA
 Not regulated

 IMDG
 Not regulated

15. REGULATORY INFORMATION

International Inventories

Not Determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

Not determined

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Talc	Х	Х	Х
14807-96-6			

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazards	Flammability	Instability 0	Special Hazards Not determined
<u>HMIS</u>	Health Hazards 1	Flammability 1	Physical Hazards 0	Personal Protection B- Safety Glasses, Gloves
Issue Date Revision Date Revision Note	06-Sep- 29-May- New for	2013		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet





Issue Date 06-Sep-2011

Revision Date 29-May-2013

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Product Name PC-7, Part B

Other Means of Identification SDS #

Recommended Use of the Chemical and Restrictions on UseRecommended UseMulti-purpose epoxy paste.

130519-20

Details of the Supplier of the Safety Data Sheet Supplier Address Protective Coatings Co. 221 S Third St. Allentown, PA 18102 USA

Emergency Telephone Number

Company Phone Number Emergency Telephone (24 hr) 610-432-3543 / 800-220-2103 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

Appearance Black paste

Physical State Paste

Odor Slight amine

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Aliphatic Polyaminoamide	68410-23-1	40-60
Magnesium Silicate	Proprietary	10-30
Aluminum Silicate	Proprietary	15-30
Hydrocarbon Resin	9003-53-6	5-20

Product contains a proprietary mixture of ingredients.

4. FIRST AID MEASURES

First Aid Measures

General Advice	Provide this SDS to medical personnel for treatment. After first aid, get appropriate in-plant, paramedic, or community medical support.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation occurs.
Skin Contact	Wash with soap and water. Remove and wash contaminated clothing before reuse. Get medical attention if irritation occurs.
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Seek medical advice.
Most Important Symptoms a	and Effects, both Acute and Delayed
Symptoms	Moderate skin and eye irritation. Direct contact may cause temporary redness and

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Skin and eye conditions may be aggravated by long term exposure.

5. FIRE-FIGHTING MEASURES

discomfort. May cause discomfort if swallowed.

Suitable Extinguishing Media

Dry chemical, CO2 or water spray.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Aldehydes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Wear positive pressure self-contained breathing apparatus (SCBA). Do not release runoff from fire control methods to sewers or waterways. NFPA Class IIIB.

6. ACCIDENTAL RELEASE MEASURES

Μ

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions	Wear protective gloves/protective clothing and eye/face protection. Remove any contaminated clothing and wash thoroughly before reuse.	
Environmental Precautions	See Section 12 for additional ecological information.	
ethods and Material for Containment and Cleaning Up		

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up	Dispose of contents/container to an approved waste disposal plant.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Wear appropriate personal protective equipment. Do not eat, drink or smoke when using this product. Wash face, hands, and any exposed skin thoroughly after handling.
Conditions for Safe Storage, Including any Incompatibilities	

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store contents under <90F (32C) . NFPA Class IIIB storage.</th>

Incompatible Materials Strong acids, Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aluminum Silicate	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Magnesium Silicate	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction		IDLH: 1000 mg/m ³ TWA: 2 mg/m ³ containing no Asbestos and <1% Quartz respirable dust

Appropriate Engineering Controls

Engineering Controls Provide general or local exhaust ventilation if product is sanded or ground.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection	Chemical safety goggles/faceshield.
Skin and Body Protection	Wear protective gloves and protective clothing.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas. If engineering controls do not keep airborne concentrations below acceptable levels, wear a NIOSH-approved respirator.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Appearance	Paste Black paste	Odor	Slight amine
Color	Black	Odor Threshold	Not determined
<u>Property</u> pH Melting Point/Freezing Point Boiling Point/Boiling Range	<u>Values</u> Not determined Not available No data	Remarks • Method	
Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density	110 °C / 230 °F Not determined Not determined Not available Not available Not determined Not available	CC (closed cup)	
Relative Density (Specific Gravity) Water Solubility Solubility in Other Solvents Partition Coefficient Autoignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties Density	0.86 Insoluble in water Alcohols Not determined Not determined Not determined Not determined Not determined Not determined 7.2 lbs/gal	(1=Water)	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid Excessive heat over long periods of time.

Incompatible Materials Strong acids, Strong bases.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact	May cause moderate eye irritation.
Skin Contact	Prolonged contact may cause redness and irritation.
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Ingestion	May cause discomfort if swallowed.
Component Information	Not available

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Aliphatic Polyaminoamide 68410-23-1	>2000 mg/kg (rat)	2000 mg/kg (rat)	-
Hydrocarbon Resin 9003-53-6	>1000 mg/kg (mice)	-	-

Information on Physical, Chemical and Toxicological Effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Magnesium Silicate		Group 3		
Hydrocarbon Resin 9003-53-6		Group 3		

IARC (International Agency for Research on Cancer) Group 3 IARC components are "not classifiable as human carcinogens"

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Not available

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Magnesium Silicate		100: 96 h Brachydanio rerio g/L LC50 semi-static		

Persistence and Degradability

Not determined

Bioaccumulation

Not determined

Mobility Not determined

Other Adverse Effects Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods	
Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated
IMDG_	Not regulated

15. REGULATORY INFORMATION

International Inventories

Not Determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313 Not determined

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania

Aluminum Silicate	Х	Х	Х
Magnesium Silicate	Х	Х	Х

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazards	Flammability	Instability 0	Special Hazards Not determined
<u>HMIS</u>	Health Hazards 1	Flammability 1	Physical Hazards 0	Personal Protection B- Safety Glasses, Gloves
Issue Date Revision Date Revision Note	06-Sep-2011 29-May-2013 New format			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet